

HUSSMANN® *Excel*

Sliding Rear Door Operation for Excel Medium Temperature Rear Roll-in Dairy Merchandisers D5XRR1 and D5XRRIS

D5XRR1 and D5XRRIS are dairy merchandisers designed to be built into the wall of a walk-in cooler.

The standard configuration has vinyl curtains to separate the display from the cooler. Sliding doors are optional.

OPERATION:

Always use handles to move doors.

Keep hands away from top and bottom when opening or closing doors to avoid possible injury.

Do not put fingers behind door or between doors when opening or closing because doors overlap and may pinch.

Do not force doors.

Doors should remain in the closed position except when moving carts in or out.



Rear Sliding Doors Installed in Rear Roll-In Display

⚠ CAUTION

If doors do not operate smoothly and properly, stop using and call for service.

*P/N 0527879_A
September 2012*


Keep door path open and free of product or debris.

Doors must be kept level to maintain easy operation.


Keep door tracks clean at all times.

Lower track must remain engaged so that doors slide together.


Stops at top of doors keep doors from moving beyond lower track. Never force doors in any direction, side-to-side or in-and-out.



DO NOT BLOCK MAINTAIN AIRFLOW AT ALL TIMEMS



**Tracks
Must Be
Engaged**



MOVING CARTS IN OR OUT


Follow cart manufacturer's instructions for cart use and care.


First Time Alignment

Use handles to slide all doors to right until stops are met. Roll in Left End Cart and Left Center Cart.



Check that doors clear carts,
then slide two left-hand doors
to left until stops are met.
Roll in Center Cart.





Check clearance, then slide two right-hand doors to left until stops are met. Roll in Center Right Cart and Right End Cart. Check for clearance, then close all doors.




Removing Carts

Use handles to open doors that will provide access. Check that cart has clearance before rolling straight out or in. Never angle carts into or out of the display case.



Rear Sliding Doors Installed in Rear Roll-In Displays



Center Rear Sliding Doors Closed, Showing Gap