



MINIMUM CLEARANCE REQUIREMENTS:
ACTUAL CLEARANCE REQUIREMENTS
ARE DEPENDENT UPON AUTHORITY
HAVING JURISDICTION, AND MAY
EXCEED DIMENSION SHOWN.








PANEL AND ANY LIVE PANEL



NOTES: RACK DIMENSIONS: 96"L X 39"W X 78.5"H

- I. IT IS THE RESPONSIBILITY OF THE INSTALLING CONTRACTOR TO ENSURE THAT THE FINAL EQUIPMENT INSTALLATION MEETS ALL APPLICABLE CODE REQUIREMENTS.
- 2. ILLUSTRATION SHOWN IS FOR GENERAL REPRESENTATION ONLY. ACTUAL PRODUCT WILL VARY DEPENDENT UPON APPLICATION.
- 3. OVERALL DIMENSIONS: IOI.I L X 45.6 W X 84.5 H.
- 4. RECEIVER SIZES SHOWN ARE BASED UPON 80% CAPACITY.



THIRD
ANGLE
PROJECTION

SHEET | OF 3


DATE DRAWN: 2017/09/14

HUSSMANN® 2CRV-PARALLEL RACK INDOOR

PD-00000043 REV


INFORMATION SUBJECT TO CHANGE

B IN IO SUBMIT



NOTES:

- I. IT IS THE RESPONSIBILITY OF THE INSTALLING CONTRACTOR TO ENSURE THAT THE FINAL EQUIPMENT INSTALLATION MEETS ALL APPLICABLE CODE REQUIREMENTS.
- 2. ILLUSTRATION SHOWN IS FOR GENERAL REPRESENTATION ONLY. ACTUAL PRODUCT WILL VARY DEPENDENT UPON APPLICATION.
- 3. OVERALL DIMENSIONS: 101.1 L X 45.6 W X 84.5 H.
- 4. RECEIVER SIZES SHOWN ARE BASED UPON 80% CAPACITY.



- ANGLE PROJECTION


2CRV-PARALLEL RACK INDOOR


PD-00000043


INFORMATION SUBJECT TO CHANGE

SHEET 2 OF 3

THIRD







NOTES FOR RIGGING:

THE RIGGING ILLUSTRATION SHOWN IS FOR GENERAL REPRESENTATION ONLY. ACTUAL RIGGING MAY VARY PER APPLICATION.

NOTES:

- I. IT IS THE RESPONSIBILITY OF THE INSTALLING CONTRACTOR TO ENSURE THAT THE FINAL EQUIPMENT INSTALLATION MEETS ALL APPLICABLE CODE REQUIREMENTS.
- 2. ILLUSTRATION SHOWN IS FOR GENERAL REPRESENTATION ONLY. ACTUAL PRODUCT WILL VARY DEPENDENT UPON APPLICATION.
- 3. OVERALL DIMENSIONS: 101.1 L X 45.6 W X 84.5 H.
- 4. RECEIVER SIZES SHOWN ARE BASED UPON 80% CAPACITY.

SHEET 3 OF 3

INFORMATION SUBJECT TO CHANGE

PD-00000043