



MINIMUM CLEARANCE REQUIREMENTS:
ACTUAL CLEARANCE REQUIREMENTS
ARE DEPENDENT UPON AUTHORITY
HAVING JURISDICTION, AND MAY
EXCEED DIMENSION SHOWN.









**EXTENSION** 

HEAT RECLAIM —

PIPING SETUP

| ] | DIMENSIONS ARE IN INCHES.<br>DATE DRAWN: 2017/09/14 |                |
|---|---|----------------|
| } |   | THIRD<br>ANGLE |

THIRD ANGLE PROJECTION

-60 6" MAX

ABOVE TOP

OF FRAME

HUSSMANN

3CRH-PARALLEL

RACK INDOOR

PD-00000035 REV E


NOTES:

I. IT IS THE RESPONSIBILITY OF THE INSTALLING CONTRACTOR TO ENSURE THAT THE FINAL EQUIPMENT INSTALLATION MEETS ALL APPLICABLE CODE REQUIREMENTS.

2. ILLUSTRATION SHOWN IS FOR GENERAL REPRESENTATION ONLY. ACTUAL PRODUCT WILL VARY DEPENDENT UPON APPLICATION.

3. OVERALL DIMENSIONS: 99.8 L X 49.0 W X 84.5 H.

4. RECEIVER SIZES SHOWN ARE BASED UPON 80% CAPACITY.



## NOTES:

- I. IT IS THE RESPONSIBILITY OF THE INSTALLING CONTRACTOR TO ENSURE THAT THE FINAL EQUIPMENT INSTALLATION MEETS ALL APPLICABLE CODE REQUIREMENTS.
- 2. ILLUSTRATION SHOWN IS FOR GENERAL REPRESENTATION ONLY. ACTUAL PRODUCT WILL VARY DEPENDENT UPON APPLICATION.
- 3. OVERALL DIMENSIONS: 99.8 L X 49.0 W X 84.5 H.
- 4. RECEIVER SIZES SHOWN ARE BASED UPON 80% CAPACITY.



THIRD - ANGLE PROJECTION

3CRH-PARALLEL RACK INDOOR

NFORMATION SUBJECT TO CHANGE

SHEET 2 OF 3

