	REVISION HISTORY										
REV	ECN	DATE	REVISION DESCRIPTION	REV BY	CHKD BY	APPR BY					
A	ı	2023/02/27	PRELIMINARY	VBS	AMS	VAV					

CDRH -DIMENSIONAL DETAILS-LEVITOR CONDENSERS													
TYPE	COND MODEL	COND WEIGHT (LBS)	BASE FRAME DIMENSIONS (in) (CURB)		OVERALL DIMENSIONS (in)		DOOR OPEN DIMENSIONS (in)		COND DIMENSIONS (in)		OVERALL WEIGHT W/COND (LBS)		
			L	$oldsymbol{W}$	<i>L1</i>	W1	H1	L2	W2	L3	W3	<i>H3</i>	
CDRH 2X2	LAVF22310	1,437	231	95	240	102	74	281	188	118	91	68	7,500
CDRH 2X3	LAVF23310	2,063	285	95	294	102	74	335	188	172	91	68	8,800
CDRH 2X4	LAVF24410	2,884	339	95	348	102	74	389	188	226	91	68	10,900
CDRH 2X5	LAVF25410	4,046	393	95	402	102	84	452	188	280	91	78	12,200
CDRH 2X6	<b>LEVF26410</b>	5,268	447	95	456	102	84	506	188	334	91	78	14,000
CDRH 2X7	LEVF27410	6,266	501	95	510	102	84	560	188	388	91	78	15,500

1. MAXIMUM SHIPPING WIDTH OF UNIT, INCLUDING STUB OUT: 102.00". 
2. IN CASE OF CONDENSER MOTOR CHANGE UNIT HEIGHT AND WEIGHT WILL VARY. 
3. 20X36 RECEIVER WILL BE MOUNTED INSIDE THE UNIT, IN CASE OF RECEIVER OTHER THAN 20X36 SIZE, IT WILL BE MOUNTED UNDERNEATH THE CONDENSER. 
4. COND WEIGHT AND OVER ALL WEIGHT MAY VARY DEPENDING ON THE TYPE OF CONDENSER.


UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES.


THIRD - ANGLE PROJECTION


HUSSMANN® CDRH UNIT WITH LEVITOR CONDENSER

SHEET 1 OF 5

## CDRH UNIT - LEVITOR CONFIGURATION








1. MAXIMUM SHIPPING WIDTH OF UNIT, INCLUDING STUB OUT: 102.00". \$\footnote{\chi}\$
2. IN CASE OF CONDENSER MOTOR CHANGE UNIT HEIGHT AND WEIGHT WILL VARY. \$\footnote{\chi}\$
3. 20X36 RECEIVER WILL BE MOUNTED UNDERNIE ATH THE CONDENSES. IN CASE OF RECEIVER OTHER THAN 20X36 SIZE, IT WILL BE MOUNTED UNDERNEATH THE CONDENSER.

4. COND WEIGHT AND OVER ALL WEIGHT MAY VARY DEPENDING ON THE TYPE OF CONDENSER.

DO NOT SCALE. DIMENSIONS TO OUTSIDE UNLESS OTHERWISE NOTED. PART TO BE FREE OF BURRS, SHARP EDGES, AND CORNERS


HUSSMANN UNLESS OTHERWISE SPECIFIE DIMENSIONS ARE IN INCHES.




THIRD ANGLE PROJECTION


CDRH UNIT WITH LEVITOR CONDENSER


SHEET 2 OF 5



## HINGE DOORS OPEN VIEWS










1. MAXIMUM SHIPPING WIDTH OF UNIT, INCLUDING STUB OUT: 102.00". 2. IN CASE OF CONDENSER MOTOR CHANGE UNIT HEIGHT AND WEIGHT WILL VARY. 3. 20X36 RECEIVER WILL BE MOUNTED INSIDE THE UNIT, IN CASE OF RECEIVER OTHER THAN 20X36 SIZE, IT WILL BE MOUNTED UNDERNEATH THE CONDENSER. 4. COND WEIGHT AND OVER ALL WEIGHT MAY VARY DEPENDING ON THE TYPE OF CONDENSER.






## RIGGING FOR ILLUSTRATION ONLY







1. MAXIMUM SHIPPING WIDTH OF UNIT, INCLUDING STUB OUT: 102.00". 2. IN CASE OF CONDENSER MOTOR CHANGE UNIT HEIGHT AND WEIGHT WILL VARY. 3. 20X36 RECEIVER WILL BE MOUNTED INSIDE THE UNIT, IN CASE OF RECEIVER OTHER THAN 20X36 SIZE, IT WILL BE MOUNTED UNDERNEATH THE CONDENSER. 4. COND WEIGHT AND OVER ALL WEIGHT MAY VARY DEPENDING ON THE TYPE OF CONDENSER.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES.

THIRD ANGLE PROJECTION

SHEET 5 OF 5

