




HIGH EFFICIENCY
H-SERIES
EXTRA LARGE SIZE
OUTDOOR UNIT
STANDARD BASE
"HxSx-xxxxxxx-xx-x"
WEIGHT: 1,575 LBS.



TOP VIEW




ISO VIEW




LEFT SIDE VIEW

CONTROL PANEL
FACING LEFT
END OF UNIT

FIELD LOCATE
MAIN ELECTRICAL
CONNECTION
IN THIS AREA



FRONT VIEW




RIGHT SIDE VIEW

NOTES:

1. IT IS THE RESPONSIBILITY OF THE INSTALLING CONTRACTOR TO ENSURE THAT THE FINAL EQUIPMENT INSTALLATION MEETS ALL APPLICABLE CODE REQUIREMENTS.
2. ILLUSTRATION SHOWN IS FOR GENERAL REPRESENTATION ONLY. ACTUAL PRODUCT WILL VARY DEPENDENT UPON APPLICATION.
3. OVERALL DIMENSIONS: 103.0 L X 35.1 W X 54.5 H.

INFORMATION SUBJECT TO CHANGE

DIMENSIONS ARE IN INCHES.
DATE DRAWN: 2017/09/14




SHEET 1 OF 3

HUSSMANN[®]

HIGH EFFICIENCY H
SERIES EXTRA LARGE
OUTDOOR STD BASE

DOC PD-000000016 REV E


SWN 1.0 SUBMITTAL SHEET SIZE D



SUCTION LINE
INLET LOCATION

LIQUID LINE
OUTLET LOCATION

PIPING CONNECTION LOCATION
OUT RIGHT SIDE OF UNIT




ISO VIEW WITH OUTDOOR HOUSING
REMOVED FOR CLARITY

NOTES:

1. IT IS THE RESPONSIBILITY OF THE INSTALLING CONTRACTOR TO ENSURE THAT THE FINAL EQUIPMENT INSTALLATION MEETS ALL APPLICABLE CODE REQUIREMENTS.
2. ILLUSTRATION SHOWN IS FOR GENERAL REPRESENTATION ONLY. ACTUAL PRODUCT WILL VARY DEPENDENT UPON APPLICATION.
3. OVERALL DIMENSIONS: 103.0 L X 35.1 W X 54.5 H.

DIMENSIONS ARE IN INCHES.
DATE DRAWN: 2017/09/14



THIRD
ANGLE
PROJECTION

INFORMATION SUBJECT TO CHANGE

SHEET 2 OF 3

HUSSMANN[®]


HIGH EFFICIENCY H
SERIES EXTRA LARGE
OUTDOOR STD BASE

DOC PD-00000016 REV E


SWN 1.0 SUBMITTAL SHEET SIZE D

MINIMUM CLEARANCE REQUIREMENTS:

ACTUAL CLEARANCE REQUIREMENTS ARE DEPENDENT UPON AUTHORITY HAVING JURISDICTION, AND MAY EXCEED DIMENSIONS SHOWN.



CLEARANCE ON A SINGLE UNIT APPLICATION




CLEARANCE ON MULTIPLE UNIT APPLICATION
 PROVIDE CLEARANCES AS SHOWN TO ENSURE ADEQUATE AIRFLOW, REDUCE THE POTENTIAL FOR AIR RECIRCULATION AND FACILITATE SERVICE ACCESSIBILITY.

NOTES:

1. IT IS THE RESPONSIBILITY OF THE INSTALLING CONTRACTOR TO ENSURE THAT THE FINAL EQUIPMENT INSTALLATION MEETS ALL APPLICABLE CODE REQUIREMENTS.
2. ILLUSTRATION SHOWN IS FOR GENERAL REPRESENTATION ONLY. ACTUAL PRODUCT WILL VARY DEPENDENT UPON APPLICATION.
3. OVERALL DIMENSIONS: 103.0 L X 35.1 W X 54.5 H.

INFORMATION SUBJECT TO CHANGE

DIMENSIONS ARE IN INCHES. DATE DRAWN: 2017/09/14  THIRD ANGLE PROJECTION	HUSSMANN [®] HIGH EFFICIENCY H SERIES EXTRA LARGE OUTDOOR STD BASE	
	SHEET 3 OF 3	DOC PD-000000016 REV E

SWN 1.0 SUBMITTAL SHEET SIZE D