

OUT RIGHT SIDE OF UNIT

NOTES:

- I. IT IS THE RESPONSIBILITY OF THE INSTALLING CONTRACTOR TO ENSURE THAT THE FINAL EQUIPMENT INSTALLATION MEETS ALL APPLICABLE CODE REQUIREMENTS.
- 2. ILLUSTRATION SHOWN IS FOR GENERAL REPRESENTATION ONLY. ACTUAL PRODUCT WILL VARY DEPENDENT UPON APPLICATION.
- 3. OVERALL DIMENSIONS: 52.0 L X 35.0 W X 42.0 H.

DIMENSIONS ARE IN INCHES. DATE DRAWN: 2017/09/14

HIGH EFFICIENCY H SERIES MDM OD STD BASE SIDE CTL PNL

HUSSMANN


THIRD ANGLE PROJECTION


PD-00000014

INFORMATION SUBJECT TO CHANGE

SHEET 2 OF 3

MINIMUM CLEARANCE REQUIREMENTS: ACTUAL CLEARANCE REQUIREMENTS ARE DEPENDENT UPON AUTHORITY HAVING JURISDICTION, AND MAY EXCEED DIMENSIONS SHOWN.





NOTES:

- I. IT IS THE RESPONSIBILITY OF THE INSTALLING CONTRACTOR TO ENSURE THAT THE FINAL EQUIPMENT INSTALLATION MEETS ALL APPLICABLE CODE REQUIREMENTS.
- 2. ILLUSTRATION SHOWN IS FOR GENERAL REPRESENTATION ONLY. ACTUAL PRODUCT WILL VARY DEPENDENT UPON APPLICATION.

3. OVERALL DIMENSIONS: 52.0 L X 35.0 W X 42.0 H.



HIGH EFFICIENCY H ANGLE PROJECTION

SERIES MDM OD STD BASE SIDE CTL PNL

INFORMATION SUBJECT TO CHANGE

PD-00000014