

- I. IT IS THE RESPONSIBILITY OF THE INSTALLING CONTRACTOR TO ENSURE THAT THE FINAL EQUIPMENT INSTALLATION MEETS ALL APPLICABLE CODE REQUIREMENTS.
- 2. ILLUSTRATION SHOWN IS FOR GENERAL REPRESENTATION ONLY. ACTUAL PRODUCT WILL VARY DEPENDENT UPON APPLICATION.
- 3. OVERALL DIMENSIONS: 271 L X 60.4 W X 82.5 H.
- 4. RECEIVER SIZES SHOWN ARE BASED UPON 80% CAPACITY





THIRD - ANGLE PROJECTION

OIORH-PARALLEL RACK OUTDOOR

INFORMATION SUBJECT TO CHANGE

SHEET 2 OF 5





## NOTES:

- I. IT IS THE RESPONSIBILITY OF THE INSTALLING CONTRACTOR TO ENSURE THAT THE FINAL EQUIPMENT INSTALLATION MEETS ALL APPLICABLE CODE REQUIREMENTS.
- 2. ILLUSTRATION SHOWN IS FOR GENERAL REPRESENTATION ONLY. ACTUAL PRODUCT WILL VARY DEPENDENT UPON APPLICATION.
- 3. OVERALL DIMENSIONS: 271 L X 60.4 W X 82.5 H.
- 4. RECEIVER SIZES SHOWN ARE BASED UPON 80% CAPACITY




THIRD - ANGLE PROJECTION

HUSSMANN OIORH-PARALLEL RACK OUTDOOR

INFORMATION SUBJECT TO CHANGE

SHEET 4 OF 5



NOTES FOR RIGGING:

THE RIGGING ILLUSTRATION SHOWN IS FOR GENERAL REPRESENTATION ONLY.

ACTUAL RIGGING MAY VARY PER APPLICATION.

## HUSSMANN DIMENSIONS ARE IN INCHES. DATE DRAWN: 2017/09/14 OIORH-PARALLEL RACK OUTDOOR

INFORMATION SUBJECT TO CHANGE

## NOTES:

- I. IT IS THE RESPONSIBILITY OF THE INSTALLING CONTRACTOR TO ENSURE THAT THE FINAL EQUIPMENT INSTALLATION MEETS ALL APPLICABLE CODE REQUIREMENTS.
- 2. ILLUSTRATION SHOWN IS FOR GENERAL REPRESENTATION ONLY. ACTUAL PRODUCT WILL VARY DEPENDENT UPON APPLICATION.
- 3. OVERALL DIMENSIONS: 271 L X 60.4 W X 82.5 H.
- 4. RECEIVER SIZES SHOWN ARE BASED UPON 80% CAPACITY