

NOTES:


- I. IT IS THE RESPONSIBILITY OF THE INSTALLING CONTRACTOR TO ENSURE THAT THE FINAL EQUIPMENT INSTALLATION MEETS ALL APPLICABLE CODE REQUIREMENTS.
- 2. ILLUSTRATION SHOWN IS FOR GENERAL REPRESENTATION ONLY. ACTUAL PRODUCT WILL VARY DEPENDENT UPON APPLICATION.
- 3. OVERALL DIMENSIONS: 220 L X 65 W X 82.7 H.
- 4. RECEIVER SIZES SHOWN ARE BASED UPON 80% CAPACITY.




THIRD - ANGLE PROJECTION

08CRH-PARALLEL RACK OUTDOOR

INFORMATION SUBJECT TO CHANGE




- MEETS ALL APPLICABLE CODE REQUIREMENTS.
- 2. ILLUSTRATION SHOWN IS FOR GENERAL REPRESENTATION ONLY. ACTUAL PRODUCT WILL VARY DEPENDENT UPON APPLICATION.
- 3. OVERALL DIMENSIONS: 220 L X 65 W X 82.7 H.
- 4. RECEIVER SIZES SHOWN ARE BASED UPON 80% CAPACITY.



RACK OUTDOOR

INFORMATION SUBJECT TO CHANGE



NOTES:

- I. IT IS THE RESPONSIBILITY OF THE INSTALLING CONTRACTOR TO ENSURE THAT THE FINAL EQUIPMENT INSTALLATION MEETS ALL APPLICABLE CODE REQUIREMENTS.
- 2. ILLUSTRATION SHOWN IS FOR GENERAL REPRESENTATION ONLY. ACTUAL PRODUCT WILL VARY DEPENDENT UPON APPLICATION.
- 3. OVERALL DIMENSIONS: 220 L X 65 W X 82.7 H.
- 4. RECEIVER SIZES SHOWN ARE BASED UPON 80% CAPACITY.



THIRD ANGLE PROJECTION

HUSSMANN®
08CRH-PARALLEL
RACK OUTDOOR

°PD-00000058 B

INFORMATION SUBJECT TO CHANGE

SHEET 4 OF 5

