







MINIMUM CLEARANCE REQUIREMENTS:
ACTUAL CLEARANCE REQUIREMENTS ARE DEPENDENT UPON
AUTHORITY HAVING JURISDICTION, AND MAY EXCEED
DIMENSION SHOWN.



RACK DIMENSIONS: 241"L X 55"W X 81.5"H


- NOTES:
1. IT IS THE RESPONSIBILITY OF THE INSTALLING CONTRACTOR TO ENSURE THAT THE FINAL EQUIPMENT INSTALLATION MEETS ALL APPLICABLE CODE REQUIREMENTS.
 2. ILLUSTRATION SHOWN IS FOR GENERAL REPRESENTATION ONLY. ACTUAL PRODUCT WILL VARY DEPENDENT UPON APPLICATION.
 3. OVERALL DIMENSIONS: 247 L X 60.4 W X 82.7 H.
 4. RECEIVER SIZES SHOWN ARE BASED UPON 80% CAPACITY.

MAXIMUM TOTAL UNIT WEIGHT(LBS)	
SHIPPING	OPERATING
9222	9965

DIMENSIONS ARE IN INCHES. DATE DRAWN: 2017/09/14		HUSSmann®	
 THIRD ANGLE PROJECTION		09CRH-PARALLEL RACK OUTDOOR	
SHEET 1 OF 5		DOC PD-000000059	REV B


INFORMATION SUBJECT TO CHANGE

SWN 1.0 SUBMITTAL SHEET SIZE D



ISO FRONT VIEW

LOUVERS



STUB OUT LOCATION

ISO REAR VIEW


LOUVERS

NOTES:

1. IT IS THE RESPONSIBILITY OF THE INSTALLING CONTRACTOR TO ENSURE THAT THE FINAL EQUIPMENT INSTALLATION MEETS ALL APPLICABLE CODE REQUIREMENTS.
2. ILLUSTRATION SHOWN IS FOR GENERAL REPRESENTATION ONLY. ACTUAL PRODUCT WILL VARY DEPENDENT UPON APPLICATION.
3. OVERALL DIMENSIONS: 247 L X 60.4 W X 82.7 H.
4. RECEIVER SIZES SHOWN ARE BASED UPON 80% CAPACITY.

INFORMATION SUBJECT TO CHANGE

DIMENSIONS ARE IN INCHES.
DATE DRAWN: 2017/09/14



THIRD
ANGLE
PROJECTION






SHEET 2 OF 5

HUSSmann®

09CRH-PARALLEL
RACK OUTDOOR

DOC PD-000000059 REV B

SWN 1.0 SUBMITTAL SHEET SIZE D




RACK DIMENSIONS: 241"L X 55"W X 81.5"H

NOTES:

1. IT IS THE RESPONSIBILITY OF THE INSTALLING CONTRACTOR TO ENSURE THAT THE FINAL EQUIPMENT INSTALLATION MEETS ALL APPLICABLE CODE REQUIREMENTS.
2. ILLUSTRATION SHOWN IS FOR GENERAL REPRESENTATION ONLY. ACTUAL PRODUCT WILL VARY DEPENDENT UPON APPLICATION.
3. OVERALL DIMENSIONS: 247 L X 60.4 W X 82.7 H.
4. RECEIVER SIZES SHOWN ARE BASED UPON 80% CAPACITY.

INFORMATION SUBJECT TO CHANGE

DIMENSIONS ARE IN INCHES.
DATE DRAWN: 2017/09/14




SHEET 3 OF 5

HUSSmann[®]

09CRH-PARALLEL
RACK OUTDOOR

DOC PD-000000059 REV B

SWN 1.0 SUBMITTAL SHEET SIZE D




NOTES:

1. IT IS THE RESPONSIBILITY OF THE INSTALLING CONTRACTOR TO ENSURE THAT THE FINAL EQUIPMENT INSTALLATION MEETS ALL APPLICABLE CODE REQUIREMENTS.
2. ILLUSTRATION SHOWN IS FOR GENERAL REPRESENTATION ONLY. ACTUAL PRODUCT WILL VARY DEPENDENT UPON APPLICATION.
3. OVERALL DIMENSIONS: 247 L X 60.4 W X 82.7 H.
4. RECEIVER SIZES SHOWN ARE BASED UPON 80% CAPACITY.

INFORMATION SUBJECT TO CHANGE

DIMENSIONS ARE IN INCHES.
DATE DRAWN: 2017/09/14



SHEET 4 OF 5





HUSSmann[®]

O9CRH-PARALLEL
RACK OUTDOOR

DOC PD-000000059 REV B

SWN 1.0 SUBMITTAL SHEET SIZE D


RIGGING DETAILS



NOTES FOR RIGGING:
THE RIGGING ILLUSTRATION SHOWN IS FOR GENERAL REPRESENTATION ONLY.
ACTUAL RIGGING MAY VARY PER APPLICATION.

- NOTES:
- 1. IT IS THE RESPONSIBILITY OF THE INSTALLING CONTRACTOR TO ENSURE THAT THE FINAL EQUIPMENT INSTALLATION MEETS ALL APPLICABLE CODE REQUIREMENTS.
 - 2. ILLUSTRATION SHOWN IS FOR GENERAL REPRESENTATION ONLY. ACTUAL PRODUCT WILL VARY DEPENDENT UPON APPLICATION.
 - 3. OVERALL DIMENSIONS: 247 L X 60.4 W X 82.7 H.
 - 4. RECEIVER SIZES SHOWN ARE BASED UPON 80% CAPACITY.

INFORMATION SUBJECT TO CHANGE

DIMENSIONS ARE IN INCHES. DATE DRAWN: 2017/09/14		HUSSmann [®]	
 THIRD ANGLE PROJECTION		09CRH-PARALLEL RACK OUTDOOR	
		DOC	PD-000000059
SHEET 5 OF 5		REV	B

SWN 1.0 SUBMITTAL SHEET SIZE D